



SARASOTA COUNTY

"Dedicated to Quality Service"

Testing Residential 1st Notice

November 22, 2006

PASCHAL PROP INC
997 PASCHAL PL
SARASOTA, FL 34232

Re: Compliance Annual Test Report Backflow Prevention Assembly
PASCHAL PROP INC
997 PASCHAL PL
Serial# 79569 Meter# 59378435

Dear Customer

To protect your drinking water from harmful contaminants, Sarasota County Utilities, in cooperation with the State of Florida, has implemented a program to minimize this risk. The Sarasota County Cross-Connection Control Program, established by Sarasota County Ordinance 89-19 and Florida Administrative Code Rule 62-555.360, establishes requirements to prevent cross connections within our customers' plumbing lines and to prevent backflow of contaminants from these lines into the county's drinking water distribution system.

Florida Department of Environmental Protection requires that residential customers comply with the ordinance by having annual testing and certification of backflow prevention assemblies installed on water service line(s) adjacent to the water meter(s) (Ordinance 89-19, Section IV). By having your backflow assembly tested and certified annually, you also help to protect your community's drinking water.

In order for the test to be valid, a licensed plumbing contractor or a fire protection systems contractor (for fire systems) must perform the test. Your tester should mail the test results within 30 days after the test to Sarasota County Environmental Services Utilities, 1001 Sarasota Center Boulevard Sarasota, FL 34240. They can also fax a copy to (941-861-0528). Please request a copy of the test results for your records.

If you have any additional questions about backflow preventers or cross-connection control, contact the Sarasota County Call Center at 941-861-5000 and ask for backflow prevention.

Respectfully,

Douglas E. Bailey
Cross-Connection Control Coordinator
Sarasota County Utilities

Kevin Oatman
Environmental Inspector
Sarasota County Utilities



SARASOTA COUNTY

"Dedicated to Quality Service"

Testing Commercial 1st Notice

November 30 , 2006

PASCHAL PROP INC
997 PASCHAL PL
SARASOTA, FL 34232

Re: Compliance Annual Test Report Backflow Prevention Assembly
PASCHAL PROP INC
997 PASCHAL PL
Serial# 79569 Meter# 59378435

Dear Customer:

To protect your drinking water from harmful contaminants, Sarasota County Utilities, in cooperation with the State of Florida, has implemented a program to minimize this risk. The Sarasota County Cross-Connection Control Program, established by Sarasota County Ordinance 89-19 and Florida Administrative Code Rule 62-555.360, establishes requirements to prevent cross connections within our customers' plumbing lines and to prevent backflow of contaminants from these lines into the county's drinking water distribution system.

Florida Department of Environmental Protection requires that commercial customers comply with the ordinance by having annual testing and certification of backflow prevention assemblies installed on water service line(s) adjacent to the water meter(s) (Ordinance 89-19, Section IV). By having your backflow assembly tested and certified annually, you also help to protect your community's drinking water.

In order for the test to be valid, a licensed plumbing contractor and a fire protection systems contractor (for fire systems) must perform the test. Your tester should mail the test results within 30 days to Sarasota County Environmental Services Utilities, 1001 Sarasota Center Boulevard Sarasota, FL 34240. They can also fax a copy to (941-861-0528). Please request a copy of the test results for your records.

If you have any additional questions about backflow preventers or cross-connection control, contact the Sarasota County Call Center at 941-861-5000 and ask for backflow prevention.

Respectfully,

Douglas E. Bailey
Cross-Connection Control Coordinator
Sarasota County Utilities

Kevin Oatman
Environmental Inspector
Sarasota County Utilities



SARASOTA COUNTY

"Dedicated to Quality Service"

Testing Residential/Commercial 2nd Notice Certified Mail

SENT CERTIFIED MAIL
RETURN RECEIPT REQUESTED & REGULAR MAIL

November 30, 2006

PASCHAL PROP INC
997 PASCHAL PL
SARASOTA FL 34232

Re: Non-Compliance Annual Test Report Backflow Prevention Assembly
PASCHAL PROP INC
997 PASCHAL PL
Serial# 79569 Meter# 59378435

Dear Customer:

Sarasota County Utilities has not yet received a completed test report for the backflow prevention assembly located at the above-mentioned account. The Florida Administrative Code, Rule 62-555.360 and Sarasota County Ordinance 89-19, requires this and annual testing.

This is a **second notice**. If a licensed contractor has already tested your backflow prevention assembly, please notify this office immediately as we have no record or notification of the test. The completed test report form showing that the assembly is operating satisfactorily is required to be completed no later than **30 days** from receipt of this notice. You can also fax a copy of the test results to (941-861-0528). Please request a copy of the test results for your records.

Please give this matter your immediate attention. Noncompliance with this regulation may result in discontinuance of your water service.

Should you have any additional questions about backflow preventers or cross-connection control, contact the Sarasota County Call Center at 941-861-5000 and ask for backflow prevention.

Sincerely,

Douglas E. Bailey
Cross-Connection Control Coordinator
Sarasota County Utilities

Kevin Oatman
Environmental Inspector
Sarasota County Utilities



SARASOTA COUNTY

"Dedicated to Quality Service"

Testing Failed Test Results

November 30, 2006

PASCHAL PROP INC
997 PASCHAL PL
SARASOTA, FL 34232

Re: Failed Results of Annual Test Report Backflow Prevention Assembly
PASCHAL PROP INC
997 PASCHAL PL
Serial# 79569 Meter# 59378435

Dear Customer

To protect your drinking water from harmful contaminants, Sarasota County Utilities, in cooperation with the State of Florida, has implemented the Cross-Connection Control Program under Sarasota County Ordinance 89-19.

Florida Department of Environmental Protection requires that residential customers comply with the ordinance by installing backflow prevention devices on water service lines(s) adjacent to their water meter(s) and having them tested and certified annually. Having your backflow assembly tested and certified annually will help protect your community's drinking water.

Recent results of backflow testing on your assembly unit indicate it has failed to pass required certification. Please contact a licensed plumber and make arrangements to have the assembly repaired and retested. Your tester should mail the results within 30 days after the test to Sarasota County Environmental Services Utilities, 1001 Sarasota Center Blvd., Sarasota, FL 34240. A fax copy can also be sent to 941-861-0528.

Please request a copy of the test results for your records. If you have any additional questions about backflow preventers or cross-connection control, contact the Sarasota County Call Center at 941-861-5000 and ask for backflow prevention.

Respectfully,

Douglas E. Bailey
Cross-Connection Control Coordinator
Sarasota County Utilities

Kevin Oatman
Environmental Inspector
Sarasota County Utilities



SARASOTA COUNTY

"Dedicated to Quality Service"

Installation Double Check Valve Type

November 30, 2006

PASCHAL PROP INC
997 PASCHAL PL
SARASOTA, FL 34232

Re: Compliance Installation of Backflow Prevention Assembly
PASCHAL PROP INC
997 PASCHAL PL
Serial# 79569 Meter# 59378435

Dear Customer:

To protect our drinking water supply from harmful contaminants, Sarasota County Utilities, in cooperation with the State of Florida, has implemented a backflow prevention program. Established by Sarasota County Ordinance 89-19 and Florida Administrative Code Rule 62-555.360, the Sarasota County Cross-Connection Control Program, establishes requirements to prevent cross connections within our customers' plumbing lines and to prevent backflow of contaminants from these lines into the county's drinking water distribution system.

The Florida Department of Environmental Protection requires that Sarasota County Utilities customers comply with the ordinance by having an approved double check backflow prevention assembly installed on water service line(s) adjacent to the water meter(s) and tested annually.

Please contact a licensed plumbing contractor to install and test an approved double check valve assembly on your water service line. Your licensed contractor should mail the test results within 30 days of the installation, to Sarasota County Utilities, Attn. Douglas E. Bailey, 1001 Sarasota Center Blvd. 34240. You can also fax a copy to (941-861-0528). Please request a copy of the test results for your records.

If you have any additional questions about backflow preventers or cross-connection control, contact the Sarasota County Call Center at 941-861-5000 and ask for backflow prevention.

Sincerely,

Douglas E. Bailey
Cross-Connection Control Coordinator
Sarasota County Utilities

Kevin Oatman
Environmental Inspector
Sarasota County Utilities



SARASOTA COUNTY

"Dedicated to Quality Service"

**Installation
Reduced Pressure Type
Certified Mail**

November 09, 2006

CERTIFIED MAIL
RETURN RECEIPT REQUESTED & REGULAR MAIL

PASCHAL PROP INC
997 PASCHAL PL
SARASOTA, FL 34232

Dear Customer:

To protect our drinking water supply from harmful contaminants, Sarasota County Utilities, in cooperation with the State of Florida, has implemented a Cross-Connection Control Program. Established by Sarasota County Ordinance 89-19 and Florida Administrative Code Rule 62-555.360, the Sarasota County Cross-Connection Control Program establishes requirements to prevent cross connections within our customers' plumbing lines and to prevent backflow of contaminants from these lines into the county's drinking water distribution system.

The Florida Department of Environmental Protection requires our customers to comply with the ordinance by having an approved reduced pressure principle backflow prevention assembly installed on water service line(s) adjacent to the water meter(s) and tested annually.

Please contact a licensed plumbing contractor to install and test an approved reduced pressure principle assembly on your water service line. Your licensed contractor should mail the test results within 30 days of the installation, to Sarasota County Utilities, Attn. Douglas E. Bailey, 1001 Sarasota Center Blvd. 34240. You can also fax a copy to (941-861-0528). Please request a copy of the test results for your records.

If you have any additional questions about backflow preventers or cross-connection control, contact the Sarasota County Call Center at 941-861-5000 and ask for backflow prevention.

Sincerely,

Douglas E. Bailey
Cross-Connection Control Coordinator
Sarasota County Utilities

Kevin Oatman
Environmental Inspector
Sarasota County Utilities



SARASOTA COUNTY

November 20, 2006
"Dedicated to Quality Service"

PASCHAL PROP INC
997 PASCHAL PL
SARASOTA, FL 34232

Installation Double Check Valve Type to Reduced Pressure Type

RE: Compliance Installation and Test Report

Dear Customer

Unfortunately, our records show, the backflow assembly installed at 997 PASCHAL PL is the wrong type for commercial customers. Businesses are required to have a reduced pressure principle assembly installed at the service connector. A double check valve assembly is currently installed.

To protect our drinking water supply from harmful contaminants, Sarasota County Utilities, in cooperation with the State of Florida, has implemented a Cross-Connection Control Program. Established by Sarasota County Ordinance 89-19 and Florida Administrative Code Rule 62-555.360, the Sarasota County Cross-Connection Control Program establishes requirements to prevent cross connections within our customers' plumbing lines and to prevent backflow of contaminants from these lines into the county's drinking water distribution system.

The Florida Department of Environmental Protection requires our customers to comply with the ordinance by having an approved reduced pressure principle backflow prevention assembly installed on water service line(s) adjacent to the water meter(s) and tested annually.

Please contact a licensed plumbing contractor to install and test an approved reduced pressure principle assembly on your water service line. Your licensed contractor should mail the test results within 30 days of the installation, to Sarasota County Utilities, Attn. Douglas E. Bailey, 1001 Sarasota Center Blvd. 34240. You can also fax a copy to (941-861-0528). Please request a copy of the test results for your records.

If you have any additional questions about backflow preventers or cross-connection control, contact the Sarasota County Call Center at 941-861-5000 and ask for backflow prevention

Sincerely,

Douglas E. Bailey
Cross-Connection Control Coordinator
Sarasota County Utilities

Kevin Oatman
Environmental Inspector
Sarasota County Utilities



SARASOTA COUNTY

"Dedicated to Quality Service"

Permit to Remove Backflow Preventer

November 30, 2006

PASCHAL PROP INC
997 PASCHAL PL
SARASOTA, FL 34232
Serial# 79569 Meter# 59378435

Dear Customer:

To be consistent with ordinance 89-19 and the Cross Connection Control Handbook, which states on page 15, section III, B.2 If the water purveyor determines that a potential cross-connection condition exists, the water purveyor shall establish a hazard level commensurate with the degree of that hazard level utilizing AWWA standards as minimum guidelines, and require a specific type of backflow preventer for the premises.

On November 11, 2006, the Sarasota County Cross-Connection Control Coordinator did a survey on the property at 997 PASCHAL PL and found there to be no hazard or potential for a hazard which would require a backflow assembly. With that conclusion, you are permitted to have your backflow assembly removed from your property. If for any reason, a potential hazard should occur, then you will be obligated to have a backflow assembly re-installed.

If you have any additional questions about backflow preventers or cross-connection control, contact the Sarasota County Call Center at 941-861-5000 and ask for backflow prevention.

Sincerely,

Douglas E. Bailey
Cross-Connection Control Coordinator
Sarasota County Utilities

Kevin Oatman
Environmental Inspector
Sarasota County Utilities